

08CL7494-1

**REMARKS**

Claims 1-23 are pending in the present application. Claims 5 and 15 have been amended, leaving Claims 1-23 for consideration. Reconsideration and allowance of the claims is respectfully requested in view of the following remarks.

Paragraph 44 has been amended to explicitly recite the presence of exit line 200 as shown in Figure 1 as originally filed. Paragraph 45 has been amended to correct a typographical error.

Figures 2-6 have been changed to show that gas-liquid separator 90 precedes heat exchanger 140 as described in the specification in paragraph 40 and in Figure 1. Figures 2-4 have also been changed to show that azeotrope column 180 follows acid column 160 as described in paragraph 44 and Figure 1. Figure 7 has been changed to reflect the presence of heat exchanger 150 preceding acid column 160 as shown in Figures 1, 3-6, and 8 and alluded to in paragraph 48.

Claim 5 has been amended to correct an inadvertent typographical error. Support for the amendment to Claim 15 can be found in paragraph 39. If there are any additional charges with respect to this Amendment or otherwise, please charge them to Deposit Account No. 07-0862.

Respectfully submitted,

Respectfully submitted,

By: Patricia S. DeSimone  
Patricia S. DeSimone  
Registration No. 48,137

Date: November 4, 2003  
Customer No.: 23413  
Telephone: (860) 286-2929